

Rotary Scrubber / Drum Scrubber



Descriptions

The rotary scrubber is an autogenous rotating drum scrubber, utilizing pebbles and rocks within the feed source to fracture and disintegrate clay, agglomerates and soft oxides. The scrubber spins slowly, similar to a giant washing machine. It churns the fines and oversize and water together, vigorously breaking up the soil matrix as well as liberating the target mineral from tough clay, schist's and rock.

RXT1030	Φ1.0×3.0	≥5	≤100	0.4~0.5	1.5~4	10-30	25~28	15	4.8
RXT1230	Φ1.2×3.0	≥5	≤100	0.4~0.5	1.5~4	30-50	23~25	18.5	5.8
RXT1530	Φ1.5×3.0	≥5	≤150	0.4~0.5	1.5~4	70~90	18~22	22	6.2
RXT1545	Φ1.5×4.5	≥5	≤150	0.4~0.5	1.5~4	80~120	18~22	30	6.9
RXT1560	Φ1.5×6.0	≥5	≤150	0.4~0.5	1.5~4	90~130	18~22	37	8.3
RXT1845	Φ1.8×4.5	≥5	≤170	0.4~0.5	1.5~4	100~130	20~21	45	11.8
RXT1860	Φ1.8×6.0	≥5	≤170	0.4~0.5	1.5~4	110~140	20~21	45	12.8
RXT2060	Φ2.0×6.0	≥5	≤210	0.4~0.5	1.5~4	120~160	19~20	55	14.8
RXT2265	Φ2.2×6.5	≥5	≤230	0.4~0.5	1.5~4	160~180	19~20	55	16.5

Application



Chain drive rotary scrubber



WELL-TECH EQUIPMENT
威尔国际矿业装备

Gold beneficiation process



scrubber washer



Gear drive rotary scrubber